

**PRODUCT AND COMPANY IDENTIFICATION**

<i>Product Code</i>	SKTLN
<i>Product Name</i>	Sika Tooling Agent N
<i>Product Description</i>	Tooling/Smoothing solution for sealant/adhesives
<i>Manufacturer/Supplier</i>	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ tel. 01707 394444 Fax. 01707 329129

COMPOSITION/INFORMATION ON THE COMPONENTS

<i>Hazardous Components in Product</i>	The product does not contain any substances classified as hazardous under current regulations.
<i>Chemical Characteristic</i>	Aqueous solution of surfactant

HAZARD IDENTIFICATION

<i>Main Hazards</i>	Not classified as hazardous.
---------------------	------------------------------

FIRST AID MEASURES

<i>Eye Contact</i>	Immediately flood the eye with plenty of water for at least 10 minutes, holding the eye open. Obtain medical attention if soreness or redness persists. Eyelids should be held away from the eyeball to ensure thorough rinsing.
<i>Skin Contact</i>	Wash skin with soap and water.
<i>Ingestion</i>	Wash out mouth with water. Do not induce vomiting. Obtain medical attention urgently.
<i>Inhalation</i>	Unlikely to occur. However provide symptomatic medical treatment if required.

FIRE FIGHTING MEASURES

<i>Extinguishing Media</i>	Not combustible.
<i>Special Hazards of Product</i>	Select extinguishing agent appropriate to other materials involved. Combustion will produce smoke, carbon dioxide and carbon monoxide.

ACCIDENTAL RELEASE MEASURES

<i>Personal Precautions</i>	Wear appropriate protective clothing.
<i>Environmental Precautions and Clean-up Methods</i>	Try to prevent the material from entering drains or water courses.
<i>Spillages</i>	Small spillages may be flushed with large quantities of water. Contain and absorb using earth, sand or other inert material. Transfer into suitable containers for recovery or disposal.



SAFETY DATA SHEET

Sika Tooling Agent N

Date of issue - 22/03/2001.

SKTLN

HANDLING AND STORAGE

Handling

Avoid contact with eyes, skin and clothing.

Storage

Storage area should be: cool. dry. out of direct sunlight.
Protect from extremes of cold.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Standards

None assigned.

Engineering Control Measures

Use of the basic principles of Industrial Hygiene will enable this material to be used safely.

Respiratory Protection

None required.

Eye Protection

Wear safety glasses if risks of accidental contamination are possible during application.

PHYSICAL AND CHEMICAL PROPERTIES

Physical State

Liquid.

Color

Colourless.

Odor

Characteristic.

pH

Neutral

Flash Point °C

Not applicable.

Solubility - Water

Miscible.

Density (kg/m³)

Approx. 1.0 at 20 °C.

Viscosity (at 20°C)

Mobile liquid at ambient temperatures.

STABILITY AND REACTIVITY

Stability

Stable under normal conditions.

Conditions to avoid

Protect from frost

Materials to avoid

Oxidising agents. Mineral acids. Alkalis.

Hazardous Decomposition Products

After evaporation of water, combustion will generate: oxides of carbon. oxides of sulphur. acrid smoke and irritating fumes.

TOXICOLOGICAL INFORMATION

Acute toxicity

Low order of acute toxicity.

Eye irritation

Irritating to the eyes.

Skin irritation

Frequent or prolonged skin contact may cause some local short term skin irritation.

ECOLOGICAL INFORMATION

Mobility

The product will dissolve rapidly in water.

Persistence/degradability

The product is expected to be readily biodegradable.

Ecotoxicity

The product may be harmful to aquatic organisms.



SAFETY DATA SHEET

Sika Tooling Agent N

Date of issue - 22/03/2001.

SKTLN

DISPOSAL

Product Disposal

Arrange for disposal via a licensed waste contractor.

Container Disposal

Dispose of containers with care.
Empty packaging should be removed by a licensed waste contractor.

TRANSPORT INFORMATION

UN :	UN number	Not classified.
ADR/RID :	Proper shipping name	Not Hazardous
ADR/RID :	Class	None assigned.
IMDG :	Proper shipping name	None assigned.
IATA :	Proper shipping name	Not classified.
IATA :	Class	None assigned.

REGULATORY INFORMATION

Risk Phrases

None assigned.

Safety Phrases

The following can be considered as advisory.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

OTHER INFORMATION

First Issue Date

01.02.2000

Revisions Highlighted

Future revisions will incorporate such information as is required but which is not available at this time.

Uses and Restrictions

Customers are urged to ensure that the product is entirely suitable for their own purpose. It is the customer's responsibility to ensure that a suitable and sufficient assessment of the risks created by the use of the product is undertaken.

UK Legislation

Health and Safety at Work etc Act, 1974, and relevant Statutory Provisions.
SI 1993/1746: Chemicals (Hazard Information and Packaging) Regulations, 1993.
SI 1999/437: The Control of Substances Hazardous to Health Regulations
SI No 2839 1991 Environmental Protection (Duty of Care) Regulations.

UK Guidance Publications

Approved Code of Practice - Management of Health and Safety at Work, HSE.
General Approved Code of Practice to COSHH Regulations, HSE.

Footnote

The information contained in this SDS corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the Technical Data Sheet prior to use.



SAFETY DATA SHEET
Sika Tooling Agent N

Date of issue - 22/03/2001.

SKTLN

This page is intentionally blank